SLEEK
LAMINATES
by
KRIDHA®

EDITION
2026-27

Scan the QR Code
to Download
E-Catalogue

KRIDHA®
LAMINATES

REGISTERED OFFICE

KRIDHA LAMINATES PVT. LTD.
Navadavan Faridpur Bareilly (U.P.)-243503
18002746911
info@kridhalam.com
www.kridhalam.com

OUR BRANCHES

JAIPUR OFFICE
Plot No F-529, Road No. 6,
Opposite Bhikshu Marble,
VKI Area, Jaipur (Raj.) - 302039
8000633589

BENGALURU OFFICE
275/1-3, New Timber Yard, Layout Mysore Road,
Bengaluru, Bengaluru Urban, Karnataka - 560026
8029915800

FOLLOW: KRIDHA LAMINATES

Sleek
LAMINATES

From the house of
KRIDHA®

LAMINATE FOR INNER SECTION OF FURNITURE

EDITION 2026 - 27

Collection of
Sleek Laminate

Kridha Sleek laminates are the backbone of durable furniture construction, providing a smooth, stable, and protective surface for the inner sections of cabinets, wardrobes, drawers, and panels. Designed to enhance strength and longevity, Kridha Sleek laminates ensure that furniture remains resistant to moisture, scratches, and every day wear. Their uniform finish improves the overall structure while maintaining a neat and refined interior appearance. Easy to apply and maintain, Sleek laminates create a reliable base that supports premium outer laminates and decorative surfaces.

Kridha Sleek laminates help to prevent warping and add an extra layer of protection, ensuring furniture lasts longer even in demanding environments. Ideal for modular kitchens, wardrobes, office furniture, and storage units, they bring both functionality and reliability to modern furniture design.



KRIDHA® LAMINATES
QUALITY KI BAAT KRIDHA KE SAATH

Best Reasons *to Choose* KRIDHA LAMINATE

- **MADE WITH PHENOLIC RESIN:**
  Kridha laminates are 100% phenolic laminates due to this kridha laminate have excellent anti crack properties.
- **HEAT AND CRACK RESISTANT:**
  Kridha laminates can tolerate moderate heat without getting damaged easily.
- **CONSISTENT FINISH:**
  Unlike natural wood, Kridha laminates offer uniform color, texture, and finish across all sheets.
- **EASY TO CLEAN:**
  The smooth surface makes Kridha laminates easy to clean using a damp cloth or mild cleaner.
- **TERMITE RESISTANT:**
  Kridha Laminates act as a protective layer that helps reduce the risk of termite damage to furniture boards.

Benefits of using LINER LAMINATES

MOISTURE PROTECTION

ENHANCED STRENGTH

SMOOTH INTERIOR FINISH

BETTER SURFACE PROTECTION

IMPROVED LONGEVITY

Unmatched FEATURES



ANTI-DUST



FIRE RETARDANT



CHEMICAL RESISTANT



EASY TO CLEAN



SCRATCH RESISTANCE



ANTI-BACTERIAL & ANTI-FUNGAL



FEATHER TOUCH



ENVIRONMENT FRIENDLY



TERMITE RESISTANT



RESISTANCE TO ACID RAINS



SUPERIOR LIGHT FASTNESS PERFORMANCE (UV RESISTANCE)



EASY TO CLEAN



PERFECT THICKNESS



CAN WITHSTAND EXTREME TEMP. CONDITIONS FROM -60OC TO +80OC

Unmatched FEATURES

CERTIFICATES & ACCOLADES











KRIDHA® LAMINATES
QUALITY KI BAAT KRIDHA KE SAATH

PAN INDIA PRESENCE

100+ DISTRIBUTORS

16000+ DEALER NETWORK

4700+ CORPORATE CLIENTS



Elevate
yourspace with timeless design that balances elegance, innovation and the unique energy of your lifestyle.

KRIDHA® LAMINATES
QUALITY KI BAAT KRIDHA KE SAATH



827 | GOLDEN AGE MARBLE

Elevate
your space with timeless design that balances elegance, innovation and the unique energy of your lifestyle.


KRIDHA® LAMINATES
QUALITY KI BAAT KRIDHA KE SAATH






828 | SINTERED MARBLE

From
vision to reality, we create timeless, functional interiors that embrace style, comfort, and individuality in every corner of your home.



824 | EMPERADOR MARBLE



825 | CLASSENTINO MARBLE

WOODEN *Series....*



531 | FOREST WOOD



532 | PANAMA OAK

Experience

bespoke interior design that transforms spaces into luxurious environments of beauty, sophistication and lasting emotional connection.

KRIDHA LAMINATES
QUALITY KI BAAT KRIDHA KE SAATH




Bold,
expressive interiors that celebrate your uniqueness, combining color, texture and artistry to shape unforgettable living experiences.

KRIDHA LAMINATES
QUALITY KI BAAT KRIDHA KE SAATH



904 | RUSSIAN CEDARWOOD




518 | SAPELI



2145 | SMOKY WALNUT



519 | ROSE WOOD



520 | ROMAN DARK

WOODEN *Series....*



508 | AMERICAN WALNUT



530 | ROPE CRUSH


Curating

Interiors That Speak of Elegance, Detail, and the Luxury of Thoughtful Living.

KRIDHA LAMINATES
QUALITY KI BAAT KRIDHA KE SAATH



510 | FLOWERY WENGE



507 | BAVERIAN BEACH



506 | HIGHLAND PINE




509 | NAINA TEAK



KRIDHA LAMINATES
QUALITY KI BAAT KRIDHA KE SAATH



562 | TERRY FAB



563 | DARK WEAVE FAB




KRIDHA LAMINATES
QUALITY KI BAAT KRIDHA KE SAATH

225x120mm


566 | LAWN FAB

225x120mm


564 | LIGHT WEAVE FAB




560 | CAMBRIC FAB



561 | CAMBRI MILK




511 | FABRIC LIGHT



559 | DOTTED CANVAS






4111 | ZEOLINE



4112 | ZOLO TOUCH




553 | CHIFFON FAB LIGHT



551 | NEW COTTON FABRIC



552 | CHIFFON FAB DARK



554 | FAB FABRIC



527 | CREAM CAMBRIC



4226 | FAB CREAM

Woven Beauty

Designing living spaces as unique as you are with color, character, and creative vision.

KRIDHA LAMINATES
QUALITY KI BAAT KRIDHA KE SAATH



557 | CROSS STITCH FABRIC



558 | THOMPSON FABRIC





568 | ROBUSTA FAB

PASTEL *Colours*....



102x130mm

815 | DORSET

102x130mm

817 | CHESTNUT

KRIDHA LAMINATES
QUALITY KI BAAT KRIDHA KE SAATH

The
PASTEL HUES
are light and airy, making rooms feel more spacious and inviting.



102x130mm

816 | EGGER

102x130mm

818 | THUNDER SKY

SOLID *Series....*

102x50 mm

801 | ORANGE

102x50 mm

804 | DARK BROWN

102x50 mm

803 | BLOOD RED

102x50 mm

806 | ELECTRIC BLUE

Style THAT STICKS

102x50 mm

802 | PEACOCK GREEN

102x50 mm

805 | BLACK

102x50 mm

822 | CHALK GREEN

102x50 mm

807 | PURPLE

KRIDHA LAMINATES
QUALITY KI BAAT KRIDHA KE SAATH

102x50 mm

501 | WHITE

102x50 mm

502 | OFF WHITE

102x50 mm

522 | GLOBE GREY

102x50 mm

504 | GREY



Creating warm, welcoming spaces where function meets comfort and personality shines.

102x50 mm

819 | DARK BEIGE

102x50 mm

SANDING DONE WITH GERMAN MACHINE FOR EASY PASTING



S. NO.	DESIGN NO.	FINISH	PG. NO.
1.	501	WHITE	30
2.	502	OFF WHITE	30
3.	504	GREY	30
4.	506	HIGHLAND PINE	16
5.	507	BAVERIAN BEACH	16
6.	508	AMERICAN WALNUT	15
7.	509	NAINA TEAK	16
8.	510	FLOWERY WENGE	16
9.	511	FABRIC LIGHT	22
10.	518	SAPELI	14
11.	519	ROSE WOOD	14
12.	520	ROMAN DARK	14
13.	522	GLOBE GREY	30
14.	527	CREAM CAMBRIC	25
15.	530	ROPE CRUSH	15
16.	531	FOREST WOOD	11
17.	532	PANAMA OAK	11
18.	551	NEW COTTON FABRIC	23
19.	552	CHIFFON FAB DARK	23
20.	553	CHIFFION FAB LIGHT	24
21.	554	FAB FABRIC	24
22.	557	CROSS STITCH FABRIC	26
23.	558	THOMPSON	26
24.	559	DOTTED CANVAS	22
25.	560	CAMBRIC FAB	21
26.	561	CAMBRIC MILK	21
27.	562	TERRY FAB	18
28.	563	DARK WEAVE FAB	18
29.	564	LIGHT WEAVE FAB	20
30.	566	LAWN FAB	20
31	568	ROBUSTA FAB	26
32.	801	ORANGE	29
33.	802	PEACOCK GREEN	29
34.	803	BLOOD RED	29
35.	804	DARK BROWN	29
36.	805	BLACK	29
37.	806	ELECTRIC BLUE	29
38.	807	PURPLE	29
39.	815	DORSET	27
40.	816	EGGER	28
41.	817	CHESTNUT	27
42.	818	THUNDER SKY	28
43.	819	DARK BEIGE	30
44.	822	CHALK GREEN	29
45.	824	EMPERADOR MARBLE	09
46.	825	CLASSENTINO MARBLE	10
47.	827	GOLDEN AGE MARBLE	06
48.	828	SINTERED MARBLE	08
49.	904	RUSSIAN CEDARWOOD	13
50.	2145	SMOKY WALNUT	13
51.	4111	ZEOLINE	23
52.	4112	ZOLO TOUCH	23
53.	4226	FAB CREAM	25

INDEX

KRIDHA LAMINATES
QUALITY KI BAAT KRIDHA KE SAATH

TECHNICAL SPECIFICATION

PROPERTIES	SPECIFIED VALUES AS PER IS: 2046-1995	SLEEK LAM CONFIRMS
Resistance to Surface Wear	350 (revolution)	✓
Resistance to immersion in boiling water -Mass Increase (%) -Thickness Increase (%)	 10.0 Max. 11.8 Max.	 ✓ ✓
Resistance to dry heat 180 C	Not worse than 4	✓
Dimensional stability at deviated temperature -Longitudinal (%) -Transverse (%)	 0.55 Max. 1.025 Max.	 ✓ ✓
Dimensional stability at 20 C -Longitudinal (%) -Transverse (%)	 0.375 Max. 0.60 Max.	 ✓ ✓
Resistance to impact by small diameter ball	20N Min.	✓
Resistance to cracking	Not worse than 4	✓
Resistance to stretching	2N Min.	✓
Resistance to staining	Not worse than 5	✓
Resistance to colour change (wool standards) -In Xenon arc light -In enclosed Carbon arc light	 Not worse than 6 Not worse than 5	 ✓ ✓
Resistance to cigarette burns	Not worse than 3	✓
Resistance to steam	Not worse than 4	✓
Appearance	Should be free from foreign particles	✓

Product information and warranty :

Technical Name:	High Pressure Decorative Laminated sheets
Size:	2440 mm x 1220 mm (8'x4')
Warranty:	**Sleek Lam** warrants that their products are free from any manufacturing defects and is suitable to utilize for normal and usual propose only. It is recommended that the product should be inspired prior to installation. If found any visual defects, the product should not be used, cut or altered in any manner. Warranty will be limited to cost of the products only and no claims will be entertained after fixing, alteration or used of the product.
Note:	Samples presented are indicative in all aspects i.e., colour, pattern, surface finish, thickness, etc. High gloss sheets are recommended for vertical application only. Other combination for colour, pattern & surface finish are available on special request.

Protecting The Surface:

Scratch and Impact protection :
Don't place lighted cigarette directly on laminate surface. Knives or other sharp utensils may slice or scratch the surface.
Don't chop, slice, pound or hummer on any laminate surface. Avoid ironing or placing a hot iron on laminate surface.
Hot cookware should not be placed directly on laminate surface. Heavy blows of hummer or metal may crack the laminate surface.

Ordinary Cleaning :
In most cases, only need to use a clean, damp, non-abrasive cotton cloth and a mild liquid detergent or household cleaner and rinse with clean water.
Don't flood the laminate since water can be absorbed and results substrate to swell. Dry the surface with a soft, clean and non-abrasive cotton cloth.

Chemical Damage :
Never use cleaners containing acid, alkali or sodium hypochlorite. These cleaners will mar, etch, corrode and permanently discolour the laminate surface. Also make sure that bottles, rags and other materials contaminated with these cleaners never come in contact with the laminate surface.

Direction of Use :

- Before using laminate please ensure that the surface of plywood and laminate are clean, dry and free of other contaminations.
- Please well stir adhesive before use and don't add water in it. Also ensures that applied adhesive is sufficient or not?
- Once laminate pasted on plywood surface don't forget to apply adequate pressure for perfect bonding. To remove air bubble from assembly use roller press from centre of assembly towards edge of assembly.
- A gap of minimum 2 mm should be maintained between two laminates while pasting side by side.